

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---------------------------------|------------------|---------|------------------|
| L1 | 2 | ("5107099" "6131816").pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/15 11:02 |
| L2 | 195 | "magnetically saturable" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/15 11:02 |
| L3 | 3 | "magnetically saturable" and card | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/15 11:04 |
| L4 | 17748 | Permalloy or NiFe or Sendust or AlFeSiI or "super Sendust" or "AlFeSiI Ni" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/15 11:13 |
| L5 | 153 | 4 and card same (coat\$3 or protect\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/15 11:05 |
| L6 | 51 | 4 and card with (coat\$3 or protect\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/15 11:05 |
| L7 | 6 | 4 with card with (coat\$3 or protect\$4 or film) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/15 11:06 |
| L9 | 1 | "5288942".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/15 11:13 |
| L10 | 14 | (US-20040035942-\$).did. or (US-4851610-\$ or US-5003409-\$ or US-5147732-\$ or US-5191198-\$ or US-5808466-\$ or US-6021948-\$ or US-6079621-\$ or US-6186398-\$ or US-6238809-\$ or US-6482330-\$ or US-6579728-\$ or US-6857569-\$ or US-RE29057-\$).did. | US-PGPUB; USPAT | OR | ON | 2005/10/15 11:54 |
| L11 | 2 | 10 and NiFe | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/15 11:54 |
| S1 | 1 | "5288942".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 11:40 |
| S2 | 1 | "5009925".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:07 |
| S3 | 1 | "6482330".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:29 |
| S4 | 771 | card with magnetic with read\$3 same (transducer or (inductive near3 head)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:30 |

| | | | | | | |
|-----|--------|--|---------------------------|----|----|------------------|
| S5 | 700 | card near3 magnetic\$4 with read\$3 same (transducer or (inductive near3 head)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:30 |
| S6 | 637 | card near3 magnetic\$4 with read\$3 with (transducer or (inductive near3 head)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:30 |
| S7 | 8 | card near3 magnetic\$4 with read\$3 with ((inductive near3 head)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:36 |
| S8 | 0 | card near3 magnetic\$4 with read\$3 with (((inductive near3 head)) same transducer | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:36 |
| S9 | 0 | card near3 magnetic\$4 with read\$3 same ((inductive near4 head)) same transducer | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:36 |
| S10 | 629 | card near3 magnetic\$4 with read\$3 with transducer | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:44 |
| S11 | 82 | "235"/\$.ccls. and S10 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:42 |
| S12 | 1 | "5191198".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:42 |
| S13 | 380280 | S12 and transducer or induct\$4 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:42 |
| S14 | 1 | S12 and (transducer or induct\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 12:42 |
| S15 | 2 | card near3 magnetic\$4 with read\$3 with transducer same induct\$4 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:04 |
| S16 | 2 | card same (magnetic\$4 with (permeable) with satur\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:05 |
| S17 | 3 | "235"/\$.ccls. and (magnetic\$4 with (permeable) with satur\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:06 |
| S18 | 2 | S17 not S16 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:06 |
| S19 | 89 | "235"/\$.ccls. and (magnetic\$4 with (amorphous)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:07 |
| S20 | 12 | "235"/\$.ccls. and (magnetic\$4 with (amorphous)) same card | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:14 |

| | | | | | | |
|-----|----|--|---------------------------|----|----|------------------|
| S21 | 62 | "235"/\$.ccls. and (magnetic\$4 near4 (strip\$1 or memory or storage)) same (protect\$4 near3 (layer or coating)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:16 |
| S22 | 1 | "235"/\$.ccls. and (magnetic\$4 near4 (strip\$1 or memory or storage)) same (protect\$4 near3 (layer or coating)) same absorb\$4 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:18 |
| S23 | 0 | "235"/\$.ccls. and sputter\$3 with amorphous\$2 same card same (magnet or magnetic\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:21 |
| S24 | 3 | sputter\$3 with amorphous\$2 same card same (magnet or magnetic\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:26 |
| S25 | 20 | card same (magnet or magnetic\$4) same (protect\$4) same friction | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:28 |
| S26 | 13 | card same (magnet or magnetic\$4) same (protect\$4) same (amorphous) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:28 |
| S27 | 1 | "5288942".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:40 |
| S28 | 18 | card same (protect\$4) with friction with (coating or layer or film) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:42 |
| S29 | 1 | card same amorphous with (coating or layer or film) and field with opposite | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:42 |
| S30 | 35 | card same (protect\$4) with (coating or layer or sputter\$4) same (permeable or saturable or amorphous) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:48 |
| S31 | 10 | card same (protect\$4) with (coating or layer or sputter\$4) same (permeable or saturable or amorphous) same (magnet or magnetic\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:50 |
| S32 | 1 | "5147732".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 13:50 |
| S33 | 81 | card same "magnetic field" with opposite | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:08 |
| S34 | 42 | card same "magnetic field" near5 opposite | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:10 |

| | | | | | | |
|-----|-----|--|---------------------------------|----|----|------------------|
| S35 | 2 | card same "magnetic field" near5 opposite same (interfer\$4 or disrupt\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:11 |
| S36 | 4 | card same protect\$4 same field with opposite | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:18 |
| S37 | 1 | "6250552".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:23 |
| S38 | 111 | card same coat\$4 with friction | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:23 |
| S39 | 10 | card same coat\$4 with friction same protect\$4 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:23 |
| S40 | 1 | "mangetically saturable" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:37 |
| S41 | 194 | "magnetically saturable" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:38 |
| S42 | 90 | "magnetically saturable".clm. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 14:38 |
| S43 | 2 | "magnetically saturable".clm. and card.clm. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 15:08 |
| S44 | 20 | "magnetic field" with stray with card | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 17:03 |
| S45 | 24 | card same (protect\$4) near4 (coat\$4 or layer or film) same ("magnetically permeable" or "magnetically saturable" or (absorb\$4 near6 field) or amorphous) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/03 17:04 |

| | | | | | | |
|-----|-----|--|------------------------------|----|----|------------------|
| S46 | 192 | ("1756547" "3677843" "3838252" "3864755" "4006507" "4058839" "4076125" "4100689" "4104682" "4141400" "4197988" "4209811" "4277809" "4302523" "4318136" "4403138" "4450955" "4503125" "4518627" "4530016" "4535369" "4581523" "4585929" "4592042" "4598196" "4609812" "4612436" "4620727" "4659915" "4672182" "4683371" "4687712" "4701601" "4707593" "4718697" "4731645" "4754128" "4756967" "4774618" "4777540" "4780604" "4786564" "4791283" "4812633" "4826772" "4833310" "4851610" "4868373" "4877488" "4889755" "4897533" "4931623" "4937438" "4978401" "4998009" "5008552" "5036430" "5041922" "5049728" "5055155" "5099111" "5099372" "5101097" "5107099" "5147732" "5172282" "5180640" "5191198" "5204513" "5206489" "5206494" "5217056" "5221838" "5227212" "5236791" "5254843" "5270523" "5286958" "5288942" "5309388" "5311003" "5321243" "5336871" "5362952" "5396369" "5396545" "5397886" "5408384" "5410136" "5421618" "5426286" "5428213" "5431746" "5452143" "5466918" "5480685" "5492745" "5509083" "5521774" "5530232" "5535078" "5557089" "5559885" "5588763" "5598474" "5609253" "5612526" "5621583" "5626970" "5637174" "5638345" "5679942" "5679945" "5689105" "5698995" "5714747" "5720500" "5722033" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/03 17:10 |
|-----|-----|--|------------------------------|----|----|------------------|

| | | | | | | |
|-----|-----|--|------------------------------|----|----|------------------|
| S47 | 2 | S46 and "field image" | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/03 17:11 |
| S48 | 4 | S46 and field near5 opposite | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/03 17:12 |
| S49 | 330 | card same (magnetic\$4 or magnet) same field with (opposite or stray or absorb\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/03 17:13 |
| S50 | 259 | card same (magnetic\$4 or magnet) with field with (opposite or stray or absorb\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/03 17:13 |
| S51 | 94 | card with (magnetic\$4 or magnet) with field with (opposite or stray or absorb\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/03 17:20 |
| S52 | 1 | ultracard.as. and permeable same card | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/03 17:20 |